AMENDED

APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date	of filing in State Engineer's Office. SEP 2 5 1961
Retu	rned to applicant for correction. DEC 1.9 1961
Corre	ected application filed
Мар	filed JAN 3 1962
	The applicant FRED KAISER
٦.	280 Island St., Reno , County of Washoe
State	of Nevada , hereby make application for permission to appropriate the public
wate	rs of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-
tion;	if a copartnership or association, give names of members.)
1.	The source of the proposed appropriation is
	Name of stream, lake or other source.
2.	The amount of water applied for issecond-feet One scond-foot equals 448.83 gals. per min.
	One scond-foot equals 448.83 gals, per min. (a) If stored in reservoir give number of acre-feetacre-feet
3.	The water to be used for Air Conditioning (Cooling) Irrigation, power, mining, manufacturing, domestic, or other use.
	Irrigation, power, mining, manufacturing, domestic, or other use. If use is for:
	(a) Irrigation (state number of acres to be irrigated)
	(b) Stockwater (state number and kinds of animals to be watered)
	(c) Other use (describe fully under "No. 11. Remarks")
	(d) Power:
	(1) Horsepower developed
	(2) Point of return of water to stream.
5	The water is to be diverted from its source at the following point: SW SET Sec. 11. T. 19 N.
	R. 19 E., M.D.B.&M., or at a point from which the St corner of said Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, Sec. 11 bears S. 15° 00' 32" W., 1.316.37 ft.
_	it should be stated.
6.	Place of use $SW_{\overline{1}}^{1}$ $SE_{\overline{1}}^{1}$ $Sec. 11. T. 19 N., R. 19 E., M.D.B.&M. Describe by legal subdivision, if on unsurveyed land it should be so stated.$
	T
	Use will begin about January 1 and end about December 31 , of each year. Month Month
	Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans
	and specifications of your diversion or storage works.) Drilled Well, Pump and
	Distribution System. State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

10.	
	Estimated time required to construct works. 6 months
11.	Remarks Water shall be used to cool the condenser of a 100 ton Air
	Conditioning refrigeration unit, plus filling & supply for swimming pool.
Арр	licant FRED KAISER
Com	By s/Bruce Bagwill, Agent, Presider WATER INC., pared hs/lb hs/lb 225 So. Arlington Ave.,
	Reno, Nevada OF STATE ENGINEER
	This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the
rig	wing limitations and conditions: This permit is issued subject to all existing this on the source and is limited to what the well will produce but to exceed 0.70 c.f.s. It is understood that the amount of water
ner	ein granted is only a temporary allowance and that the final water.
rig	ht obtained under this permit will be dependent upon the amount of
vat	er actually placed to beneficial use. It is also understood that
thi	s right must allow for a reasonable lowering of the static water
le.v	el at permittee's well due to other ground water development in the
ere	aA substantial weir or other type of measuring device must be in-
sta	lled and measurements of water use kept, and a method provided, eith
air	line or opening, for measuring depth to water. The State retains t
rig	ht to regulate the use of the water herein granted at any and all ti
The	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and co exceed
The	ht to regulate the use of the water herein granted at any and all ti
The not the	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed
The not the	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and coexceed
The not 1	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed
The not the Actual Processing Works	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed. O.70
The not the Actual Process Work Process App	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed
The not to Actual Process App Process Market Market Process App Process Market Pr	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and so exceed
The not to Actual Process App Process Mark Common C	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed
The not to	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed